



SUMINISTROS RIOL S.A. [www.surisa.es]
C/ Marina 127-131 bjs | 08013 Barcelona, ESPAÑA
TEL. +34 93 231 08 11 | FAX +34 93 265 19 26 | SURISA@SURISA.ES
WWW.RESISTENCIAS.ES

CATÁLOGO RESISTENCIAS DE INMERSIÓN TUBULARES

RESISTENCIAS DE INMERSIÓN FORMA 3 "U"

REF	L en mm	Wattios	Rosca pulgadas GAS	Material
EL-11300	190	1.500	1 1/4" ó 1 1/2"	INCOLOY
EL-11301	270	2.250	1 1/4" ó 1 1/2"	INCOLOY
EL-11302	360	3.000	1 1/4" ó 1 1/2"	INCOLOY
EL-11303	440	3.750	1 1/4" ó 1 1/2"	INCOLOY
EL-11304	520	4.500	1 1/4" ó 1 1/2"	INCOLOY
EL-11306	690	6.000	1 1/4" ó 1 1/2"	INCOLOY
EL-11307	850	7.500	1 1/4" ó 1 1/2"	INCOLOY
EL-11308	1.020	9.000	1 1/4" ó 1 1/2"	INCOLOY
EL-11309	360	1.500	1 1/4" ó 1 1/2"	INCOLOY
EL-11311	690	3.000	1 1/4" ó 1 1/2"	INCOLOY
EL-11313	1.020	4.500	1 1/4" ó 1 1/2"	INCOLOY
EL-11315	1.350	6.000	1 1/4" ó 1 1/2"	INCOLOY



RESISTENCIAS DE INMERSIÓN FORMA 3 "U" DOBLE VUELTA

REF	L en mm	Wattios	Rosca pulgadas GAS	Material
EL-11602	200	3.000	2"	INCOLOY
EL-11618	235	3.600	2"	INCOLOY
EL-11604	280	4.500	2"	INCOLOY
EL-11616	345	5.400	2"	INCOLOY
EL-11606	360	6.000	2"	INCOLOY
EL-11607	450	7.500	2"	INCOLOY
EL-11608	530	9.000	2"	INCOLOY
EL-11617	680	12.000	2"	INCOLOY
EL-11611	360	3.000	2"	INCOLOY
EL-11613	530	4.500	2"	INCOLOY
EL-11615	700	6.000	2"	INCOLOY
EL-11619	848	15.000	2"	INCOLOY
EL-11620	990	18.000	2"	INCOLOY




RESISTENCIAS DE INMERSIÓN FORMA 3 "U" DE COBRE

REF	L en mm	Wattios	Rosca pulgadas GAS	Material
EL-350/53	210	4.500	2 1/2"	COBRE
EL-350/55	250	6.000	2 1/2"	COBRE
EL-350/57	330	9.000	2 1/2"	COBRE
EL-350/59	410	12.000	2 1/2"	COBRE
EL-350/61	570	15.000	2 1/2"	COBRE
EL-350/63	680	18.000	2 1/2"	COBRE



RESISTENCIAS DE INMERSIÓN, FORMA "U"

REF	Long. Cota A	Wattios	Voltios	Material
AH-100	155	500	220	INCOLOY
AH-101	260	1.000	220	INCOLOY
AH-102	310	1.200	220	INCOLOY
AH-106	350	1.400	220	INCOLOY
AH-103	470	1.800	220	INCOLOY
AH-104	640	2.400	220	INCOLOY
AH-105	780	3.000	220	INCOLOY
AH-110	245	750	220	INCOLOY



RESISTENCIAS DE INMERSIÓN FORMA 3 "U" SALIDA 90°

REF	Long. Cota A	Wattios	Voltios	Material
AH-150	170	500	220	INCOLOY
AH-109	369	1.200	220	INCOLOY
AH-107	504	1.800	220	INCOLOY
AH-108	704	2.400	220	INCOLOY



RESISTENCIAS DE INMERSIÓN PARA ACOPLAR PLETINAS

REF	Long. Cota A	Wattios	Voltios	Material
TN-412	255	4.000	220	COBRE
TN-413	190	2.000	220	COBRE
TN-414	255	3.500	220	COBRE



RESISTENCIA MONOBLOC CON VAINA PARA TERMOSTATO

REF	Long. Cota A	Wattios	Rosca Pulgadas Gas	Material
EL-13160	190	500	1 1/4"	A.INOX
EL-13161	190	750	1 1/4"	A.INOX
EL-13162	200	1.000	1 1/4"	A.INOX
EL-13163	250	1.500	1 1/4"	A.INOX
EL-13164	300	2.000	1 1/4"	A.INOX
EL-13165	325	2.500	1 1/4"	A.INOX
EL-13166	360	3.000	1 1/4"	A.INOX

